

ZERCHANINOV, I.K.

Method for calculating reduced pressures of formation waters. Truly  
VNII no.30:128-135 '60. (MIRA 14:2)  
(Oil field brines)

ZERCHANINOV, I.K.

Method for studying water wells. Geol. nefti i gaza 5  
no. 1:48-52 Ja '61.

(MIRA 14:1)

1. Vsesoyuznyy nefte-gazovyy nauchno-issledovatel'skiy institut.  
(Oil field brines)

ZEROSHANTINOV, I.K.

Determining the saturation of gases dissolved in reservoir  
waters. Gas. prom. 8 no.3:1-5 '63  
(MIRA 1707)

ZERCHANINOV, I.K.

~~\_\_\_\_\_~~  
Gases dissolved in Devonian and Carboniferous reservoir waters in  
the Volga portion of Saratov and Stalingrad Provinces. Gaz. prom.

4 no.7:1-5 J1 '59.

(MIRA 12:10)

(Volga Valley--Gas, Natural)

ZERCHANINOV, I.K.

Interaction of oil pools in the process of their exploitation.  
Gaz. prom. no.3:10-12 Mr '58. (MIRA 11:3)  
(Oil fields)

ZERZHANINOV, I.K.

Hydrogeology of deposits of the lower Carboniferous in the Saratov  
region of the Volga Valley. Gaz.prom. no.6:3-7 Je '57. (MIRA 10:7)  
(Volga Valley--Petroleum geology) (Water--Analysis)

ZERCHANINOV, I.K.  
ZERCHANINOV, I.K.

Tectonic shifts within the Saratov dislocations. Trudy VNI no.11:59-  
64 '57. (MLRA 10:11)

(Saratov Province--Geology, Structural)

ZERCHANINOV, I. K.

ZERCHANINOV, I. K.

"Formation of Terrace Structures of Second and Third Order in the Case of Saratov Displacements." All-Union Petroleum Gas Sci Res Inst (VNII) [sic], Moscow, 1955. (Dissertation for the Degree of Candidate of Geological and Mineralogical Sciences.)

SO: M-972, 20 Feb 56



ZERCHANINOV, I.K.

Conditions determining the formation of Devonian oil and gas pools  
in the Volga Valley portion of Saratov Province. Gaz. prom. 4 no.11:  
3-9 '59. (MIRA 13:2)

(Saratov Province--Petroleum geology)

(Saratov Province--Gas, Natural--Geology)

ZERCHANINOV, I.K.; YAKOVLEV, V.P.

Using hydrogeological and hydraulic prospecting data in  
prospecting and developing oil and gas pools. Neft. khoz.  
38 no.7:24-28 J1 '60. (MIHA 14:10)  
(Petroleum geology)  
(Gas, Natural--Geology)

ZERCHANINOV, Igor' Konstantinovich; SHCHERBAKOV, G.V., red.; VORONOVA,  
V.V., tekhn. red.

[The technique of investigating water-tapping wells opening up  
productive deposits in the Volga-Ural region] Metodika issledova-  
niia vodianykh skvazhin, vskryvshikh produktivnye otlozheniia na  
territorii Uralo-Povolzh'ia. Moskva, Gostoptekhizdat, 1962. 77 p.  
(MIRA 15:4)

(Volga-Ural region--Oil field brines)

ZERCHANINOV, L. 'g.Vyazniki, Vladimirovskoy oblasti)

Joyful voices of little children are ringing. Prom.koop.

14 no.7:36 J1 '60.

(MIRA 13:8)

(Vyazniki--Kindergartens)

ZERCHANINOV, L.K.

Review of V.S.Miasoedov's monograph "Epidemiology of opisthorchosis."  
Med. paraz. i paraz. bol. 33 no.5:627-628 S.-O '64.

(MIRA 18:4)

	: USSR	G
	: Zooparasitology - Parasitic Worms	
ISS. JOUR.	: RZBiol., No. 19	1958, No. 66268
AUTHOR	: Zerkhaninov, L.A., Sokolova, Ye.K.	
INST.	: -	
TITLE	: Spisthorchiasis and Diphyllbothriasis in the	Sverdlovskaya Oblast
ORIG. PUB.	: Med. Parazitol. i Parazitarn. Bolezni, 1957,	Vol. 26, No. 6, 714-717
ABSTRACT	: In the northern regions of the Sverdlovskaya	Oblast, situated along the rivers Loz'va, Sos'va,
	and Tavda, foci were discovered of opisthorchiasis	and diphyllbothriasis among persons and domestic
	animals. Up to 65% of merops from the reservoirs	of the Taborinskiy Rayon were infected with pleu-
		rocercoids.

CARD: 1/1

ZERCHININOV, L.K.

Interprovince scientific and practical conference on the control of helminthiases in the regions of the Urals and Western Siberia and the scientific conference of the Tyumen' Branch of the Omsk Scientific Research Institute for Natural Focus Infections on medical parasitology. Med. paraz. i paraz. bol. 33 no.6:756 N-D '64. (MIRA 1816)

ZERCHANINOV, Leonid Konstantinovich

[Protozoan infections and helminthiases of the Ural  
population] Protozoinye bolezni i gel'mintozy naseleniia  
Urala. Moskva, Medgiz, 1961. 182 p. (MIRA 17:2)



ZERCHANINOV, L.K.

Bithynia leachi in the waters of Tyumen' Province. Med. parazit.  
i parazit. bol. 32 no.6:741 N-D '63 (MIRA 18:1)

1. Iz parazitologicheskoy laboratorii filiala Omskogo nauchno  
issledovatel'skogo instituta prirodnookhagovykh infektsiy v  
Tyumeni (ispolnyayushchiy obyazannosti direktora V.N. Shpil'ko).

PLOTNIKOV, N.N.; ZERCHANINOV, L.K.; YALDYGINA, Z.S.

Experimental treatment of opisthorchosis with hexachloro-p-xylene.  
Report No.2. Med.paraz.i paraz.bol. 33 no.4:387-392 J1-Ag '64.

(MIRA 18:3)

1. Klinicheskiy otdel Instituta meditsinskoy parazitologii i  
tropicheskoy meditsiny imeni Martynovskogo i parazitologicheskiy  
otdel filiala Omskogo instituta prirodnookhagovykh infektsiy v  
Tyumeni.

ZERCHANINOV, L.K.; SOKOLOVA, Ye.K.

Opisthorchiasis and diphyllobothriasis in Sverdlovsk Province. Med.  
paras.i paras.bol. 26 no.6:714-717 N-D '57. (MIRA 13:4)

1. Iz parazitologicheskogo otdela Sverdlovskogo nauchno-issledovatel'skogo instituta epidemiologii i mikrobiologii Ministerstva zdoravookhraneniya RSFSR (direktor instituta G.F. Bogdanov).  
(SVERDLOVSK PROVINCE--WORMS, INTESTINAL AND PARASITIC)  
(LIVER FLUKE)

ZERCHANINOV, L.K.

The epidemiology of ascariasis in Sverdlovsk Province. Med.paraz.  
i paraz.bol. 25 no.2:118-121 Ap-Je '56. (MIRA 9:8)

1. Iz Sverdlovskogo instituta epidemiologii, mikrobiologii i  
gigieny (dir. instituta G.F.Bogdanov)  
(ASCARIASIS, epidemiol.  
in Russia)

BOGDANOV, G.F., red.; BYCHKOVSKAYA, O.V., red.; ZERCHANINOV, L.K.,  
red.; MEDVINSKAYA, K.G., red.; PERETTS, L.G., prof., red.;  
PUSHKAREVA, Z.V., red.; DAVIDOVA, I., red.; PAL'MINA, N.,  
tekhn.red.

[Increasing the activity of antibiotics, sulfonamides, and  
blood serum; collection of articles] Uvelichenie aktivnosti  
antibiotikov, sul'famidov i krovianoi syvorotki; sbornik statei.  
Sverdlovsk, 1957. 205 p. (MIRA 13:1)

1. Sverdlovskiy nauchno-issledovatel'skiy institut antibiotikov.  
(ANTIBIOTICS) (SULFONAMIDES) (SERUM)

ZERCHANINOV, L.K.; KONDINSKIY, G.V.

Distribution of toxoplasmosis in Tyumen' Province. Zhur.mikrobiol.,  
epid. i immun. 42 no.2:55-58 F '55. (MIRA 18:6)

1. Filial Omskogo instituta prirodnookhagovykh infektsiy v Tyumeni.

ACC NR: AP7009356

SOURCE CODE: GE/0064/66/018/11-/0431/0435

AUTHOR: Zerche, Manfred (Doctor)

ORG: Schwerin Weather Bureau, Schwerin (Amt fur Meteorologie Schwerin)

TITLE: Computation of estimated fog frequencies using 3-hr observations

SOURCE: Zeitschrift fur Meteorologie, v. 18, no. 11-12, 1966, 431-435

TOPIC TAGS: climatology, fog, meteorology, fog frequency, annual fog frequency/North German plain

ABSTRACT: Annual and monthly fog frequencies were studied for the sake of climatology dealing with traffic conditions and health resort problems. Improving on Koppen's method and formula to calculate fog frequency in hours from long-term 3-hr observations, accurate determination of mean annual fog frequency variations (mean monthly fog frequencies in hours) in the North German inland plain by computation of annual occurrence estimates was shown. Koppen's method provided only an estimate of annual frequencies. Orig. art. has: 1 table and 6 formulas.

[Based on author's abstract]

[DR]

SUB CODE: 04/SUBM DATE: none/ORIG REF: 002/OTH REF: 004/

Card 1/1

UDC: 551.575.36

TALAKIN, O.G.; AKHANSHCHIKOVA, L.A.; SOSNOVSKIY, Ye.N.; PANKRATOV, A.V.;  
ZERCHENINOV, A.N.

Heat of formation of fluonitrate. Zhur.fiz.khim. 36 no.5:1065-  
1067 My '62. (MIRA 15:8)  
(Fluonitrate) (Heat of formation)



ACC NR: AP6032268

SOURCE CODE: UR/0076/66/040/009/2101/2104

AUTHOR: Zercheninov, A. N.; Chesnokov, V. N.; Pankratov, A. V.


ORG: none

TITLE: Standard heat of formation of chlorodifluoramine


SOURCE: Zhurnal fizicheskoy khimii, v. 40, no. 9, <sup>1966,</sup> 2101-2104

TOPIC TAGS: chlorodifluoramine, heat of formation, potassium iodide solution, gaseous chlorodifluoramine, liquid chlorodifluoramine, *FLUORINE COMPOUND*, *CHLORINE COMPOUND*


ABSTRACT: The standard heat of formation of chlorodifluoramine has been determined from its reaction with an aqueous solution of potassium iodide



This reaction proceeds in several steps. Selection of proper [unspecified] pH of the solution and contact time of  $\text{NF}_2\text{Cl}$  with the solution reduced reaction 1 to the reaction



$\text{NF}_2\text{Cl}$  used in the experiments contained, in addition to  $\text{N}_2$  and  $\text{N}_2\text{O}$ , 1 to 7%  $\text{N}_2\text{F}_2$  whose presence caused in the calorimeter the additional reaction



Card 1/4

UDC: 541.11

ACC NR: AP6032268

Table 1.

NF <sub>2</sub> Cl content in the sample, %	Analysis of the solution						Rise of temperature in the calorimeter ( $\Delta t$ ), deg	Calculated overall heat of reaction 2 and 3 (Q <sub>2</sub> ), cal	Calculated heat of reaction 3 (Q <sub>3</sub> ), cal	Calculated heat of reaction 2 (Q <sub>2</sub> ), cal	Heat of the reaction of NF <sub>2</sub> Cl with KI solution ( $-\Delta H_r$ ), kcal/mol
	Cl <sup>-</sup> , g	F <sup>-</sup> , g	I <sub>2</sub> , g	Calculated amount of NF <sub>2</sub> Cl formed, g	Calculated amount of N <sub>2</sub> F <sub>2</sub> formed, g	Calculated amount of separated I <sub>2</sub> , g					
90.1	0.165	0.0054	0.630	0.1070	0.0034	0.627	0.6119	158.9	21.7	137.2	29.48
83.6	0.401	0.0267	1.582	0.9802	0.0164	1.614	1.5363	473.4	107.3	366.1	32.37
83.6	0.426	0.0286	1.680	1.0509	0.0497	1.716	1.5119	465.9	115.0	350.9	29.20
83.6	0.401	0.0324	1.607	0.9892	0.0563	1.652	1.4496	416.7	130.2	316.5	27.98
83.6	0.372	0.0272	1.453	0.9176	0.0473	1.513	1.2973	399.8	109.4	290.4	27.68
80.4	0.261	0.178	1.096	0.6446	0.0309	1.054	1.2773	316.2	71.5	244.7	33.20
78.5	0.283	0.0131	—	0.6981	0.0228	—	1.3024	266.9	52.7	244.2	30.60
76.6	0.179	0.0136	—	0.4416	0.0236	—	0.9327	212.7	54.6	158.1	31.31
76.6	0.322	0.0093	1.272	0.7943	0.0162	1.215	1.4212	324.0	37.5	286.5	31.55
62.1	0.376	0.0188	—	0.9275	0.0327	—	1.2577	370.8	75.6	304.2	28.69
36.1	0.656	0.0228	2.160	1.3715	0.0306	2.142	2.7240	621.1	91.9	529.5	33.77
36.1	0.315	0.0166	1.300	0.7770	0.0288	1.238	1.4073	341.4	60.6	274.8	30.93
36.1	0.333	0.0173	1.290	0.8214	0.0300	1.307	1.4967	341.2	69.4	271.8	28.94
36.1	0.279	0.0142	1.131	0.6882	0.0247	1.093	1.3242	301.9	57.1	244.8	31.11

Average  $\Delta H_r = -30.5 \pm 1.6$  kcal/mol

Card 2/4

ACC NR: AP6032268

The experiments were conducted in a calorimeter described in earlier studies by the authors. The experimental procedure is described in the source. The reacted solutions were analyzed for  $F^-$ ,  $Cl^-$  and  $NH_4^+$  ions and for separated iodine. The experimental results and the calculated heats of the reactions of  $NF_2Cl$  with KI solutions are given in Table 1. The heat of formation of gaseous  $NF_2Cl$  was calculated from a thermochemical equation which took into account the heats of formation and solution of the substances involved. The respective heat values were taken from reference books or earlier studies. The missing value of the heat of solution of KCl in KI solution was determined experimentally for a neutral 15% KI solution (Table 2). The standard heat of formation of gaseous  $NF_2Cl$  was found to be

Table 2.

$G_{KCl}$ , g	$\Delta t$ , deg	Heat of solution of KCl in a neutral 15% solution of KI ( $\Delta H_g$ ), kcal/mol
0.8354	-0.1755	3.67
0.8403	-0.1778	3.70
0.8540	-0.1827	3.74
0.9323	-0.1973	3.70

Average  $\Delta H_g = 3.70 \pm 0.02$  kcal/mol

Card 3/4

ACC NR: AP6032268

$3.2 \pm 2.9$  kcal/mol. The heat of formation of liquid  $\text{NF}_2\text{Cl}$  was calculated by taking the value of 4.35 kcal/mol for the heat of vaporization of  $\text{NF}_2\text{Cl}$  at  $-67^\circ\text{C}$  (boiling point), and in the assumption that the average heat capacity of  $\text{NF}_2\text{Cl}$  in the range 298—206 K is equal to that of  $\text{NF}_3$  (11.5 cal/mol·deg). The heat of formation of liquid  $\text{NF}_2\text{Cl}$  at  $-67^\circ\text{C}$  was found to be -2.2 kcal/mol. The N-Cl bond energy was calculated in the assumption that the N-F bond energy in  $\text{NF}_2\text{Cl}$  is equal to that in the free  $\text{NF}_2$  radical

$$E(\text{N}-\text{Cl}) = \Delta H_{f298}^\circ(\text{Cl}) + \Delta H_{f298}^\circ(\text{NF}_2) - \\ - \Delta H_{f298}^\circ(\text{NF}_2\text{Cl}) = 35.3 \text{ kcal/mol.}$$

Orig. art. has: 3 tables.

SUB CODE: 21, 07/ SUBM DATE: 19Mar65/ ORIG REF: 005/ OTH REF: 003/

Card 4/4

ZERCHENINOV, A. N.

37635

S/C76/62/036/005/010/013  
B101/B110

11.0131

AUTHORS:

Talakin, O. G., Akhanshchikova, L. A., Sosnovskiy, Ye. N.,  
Pankratov, A. V., and Zercheninov, A. N.

TITLE:

Heat of formation of fluonitrate

PERIODICAL: Zhurnal fizicheskoy khimii, v. 36, no. 5, 1962, 1065-1067

TEXT: The heat of formation of  $\text{NO}_3\text{F}$  was calorimetrically determined on the basis of the reaction  $\text{NO}_3\text{F} + 2\text{KOH} = \text{KNO}_3 + \text{KF} + 0.5 \text{O}_2 + \text{H}_2\text{O}$ , the  $\text{NO}_3\text{F}$  being synthesized by bubbling  $\text{F}_2$  through  $\text{HNO}_3$  thus:  $\text{HNO}_3 + \text{F}_2 = \text{HF} + \text{NO}_3\text{F}$ . The HF was absorbed by KF, and  $\text{NO}_3\text{F}$  was condensed at  $-183^\circ\text{C}$ . The heats (kcal/mole) of reaction between  $\text{NO}_3\text{F}$  and KOH ( $Q_1 = 93.5 \pm 0.8$ ), between KF and KOH ( $Q_2 = 3.35 \pm 0.011$ ), and between  $\text{KNO}_3$  and KOH ( $Q_3 = -5.93 \pm 0.02$ ) were measured with a calorimeter calibrated with KCl. From the system of equations which allows for this and the other side reactions of the process the heats of formation of gaseous and liquid  $\text{NO}_3\text{F}$  were calculated

Card 1/2

Heat of formation of fluonitrate

S/076/62/036/005/010/013  
B101/B110

and found to be  $-4.2 \pm 0.9$  kcal/mole at  $21^{\circ}\text{C}$  and  $-4.2 \pm 1.2$  kcal/mole at  $-45.9^{\circ}\text{C}$ , respectively. There are 2 figures and 4 tables.

SUBMITTED: May 17, 1961

Card 2/2

ACC NR: AP6032268

SOURCE CODE: UR/0076/66/040/009/2101/2104

AUTHOR: Zercheninov, A. N.; Chesnokov, V. N.; Pankratov, A. V.


ORG: none

TITLE: Standard heat of formation of chlorodifluoramine


SOURCE: Zhurnal fizicheskoy khimii, v. 40, no. 9, 1966, 2101-2104

TOPIC TAGS: chlorodifluoramine, heat of formation, potassium iodide solution, gaseous chlorodifluoramine, liquid chlorodifluoramine, FLUORINE COMPOUND, CHLORINE COMPOUND


ABSTRACT: The standard heat of formation of chlorodifluoramine has been determined from its reaction with an aqueous solution of potassium iodide



This reaction proceeds in several steps. Selection of proper [unspecified] pH of the solution and contact time of  $\text{NF}_2\text{Cl}$  with the solution reduced reaction 1 to the reaction



$\text{NF}_2\text{Cl}$  used in the experiments contained, in addition to  $\text{N}_2$  and  $\text{N}_2\text{O}$ , 1 to 7%  $\text{N}_2\text{F}_2$  whose presence caused in the calorimeter the additional reaction



Card 1/4

UDC: 541.11

ACC NR: AP6032268

Table 1.

NF <sub>2</sub> Cl content in the sample, %	Analysis of the solution						Rise of temperature in the calorimeter (Δt), deg	Calculated overall heat of reactions 2 and 3 (Q <sub>2</sub> ), cal	Calculated heat of reaction 3 (Q <sub>3</sub> ), cal	Calculated heat of reaction 2 (Q <sub>2</sub> ), cal	Heat of the reaction of NF <sub>2</sub> Cl with KI solution (-ΔH <sub>r</sub> ), kcal/mol
	Cl <sup>-</sup> , g	F <sup>-</sup> , g	I <sub>2</sub> , g	Calculated amount of NF <sub>2</sub> Cl formed, g	Calculated amount of N <sub>2</sub> F <sub>2</sub> formed, g	Calculated amount of separated I <sub>2</sub> , g					
90,1	0,165	0,0054	0,630	0,1070	0,0094	0,627	0,6119	158,9	21,7	137,2	29,48
83,6	0,401	0,0267	1,582	0,9892	0,0161	1,614	1,5363	473,4	107,3	366,1	32,37
83,6	0,426	0,0286	1,680	1,0509	0,0197	1,716	1,5110	465,9	115,0	350,9	29,20
83,6	0,401	0,0324	1,607	0,9892	0,0563	1,652	1,4495	416,7	133,2	316,5	27,98
80,4	0,372	0,0272	1,453	0,9176	0,0473	1,513	1,2973	399,8	109,4	290,4	27,68
78,5	0,261	0,0178	1,096	0,6446	0,0309	1,054	1,2773	316,2	71,5	244,7	33,20
76,6	0,283	0,0131	—	0,6981	0,0228	—	1,3024	266,9	52,7	244,2	30,60
76,6	0,179	0,0136	—	0,4416	0,0236	—	0,9327	212,7	54,6	158,1	31,31
62,1	0,322	0,0093	1,272	0,7943	0,0162	1,215	1,4212	324,0	37,5	286,5	31,55
36,1	0,376	0,0188	—	0,9275	0,0327	—	1,2577	379,8	75,6	304,2	28,69
36,1	0,556	0,0228	2,160	1,3715	0,0396	2,142	2,7240	621,1	91,6	529,5	33,77
36,1	0,315	0,0166	1,300	0,7770	0,0288	1,238	1,4973	341,4	66,6	274,8	30,93
36,1	0,333	0,0173	1,290	0,8214	0,0300	1,307	1,4967	341,2	69,4	271,8	28,94
36,1	0,279	0,0142	1,131	0,6882	0,0247	1,093	1,3242	301,9	57,1	244,8	31,11

Average ΔH<sub>r</sub> = -30.5 ± 1.6 kcal/mol

Card 2/6



ACC NR: AP6032268

The experiments were conducted in a calorimeter described in earlier studies by the authors. The experimental procedure is described in the source. The reacted solutions were analyzed for  $F^-$ ,  $Cl^-$  and  $NH_4^+$  ions and for separated iodine. The experimental results and the calculated heats of the reactions of  $NF_2Cl$  with KI solutions are given in Table 1. The heat of formation of gaseous  $NF_2Cl$  was calculated from a thermochemical equation which took into account the heats of formation and solution of the substances involved. The respective heat values were taken from reference books or earlier studies. The missing value of the heat of solution of KCl in KI solution was determined experimentally for a neutral 15% KI solution (Table 2). The standard heat of formation of gaseous  $NF_2Cl$  was found to be

Table 2.

$G_{KCl}$ , g	$\Delta t$ , deg	Heat of solution of KCl in a neutral 15% solution of KI ( $\Delta H_g$ ), kcal/mol
0.8354	-0.1755	3.67
0.8403	-0.17783	3.70
0.8540	-0.1827	3.74
0.9323	-0.19733	3.70

Average  $\Delta H_g = 3.70 \pm 0.02$  kcal/mol

Card 3/4

ACC NR: AP6032268

$3.2 \pm 2.9$  kcal/mol. The heat of formation of liquid  $\text{NF}_2\text{Cl}$  was calculated by taking the value of 4.35 kcal/mol for the heat of vaporization of  $\text{NF}_2\text{Cl}$  at  $-67^\circ\text{C}$  (boiling point), and in the assumption that the average heat capacity of  $\text{NF}_2\text{Cl}$  in the range 298—206 K is equal to that of  $\text{NF}_3$  (11.5 cal/mol·deg). The heat of formation of liquid  $\text{NF}_2\text{Cl}$  at  $-67^\circ\text{C}$  was found to be  $-2.2$  kcal/mol. The N-Cl bond energy was calculated in the assumption that the N-F bond energy in  $\text{NF}_2\text{Cl}$  is equal to that in the free  $\text{NF}_2^\cdot$  radical

$$E(\text{N}-\text{Cl}) = \Delta H_{f298}^\circ(\text{Cl}) + \Delta H_{f298}^\circ(\text{NF}_2^\cdot) - \Delta H_{f298}^\circ(\text{NF}_2\text{Cl}) = 35.3 \text{ kcal/mol.}$$

Orig. art. has: 3 tables.

SUB CODE: 21, 07/ SUBM DATE: 19Mar65/ ORIG REF: 005/ OTH REF: 003/

Card 4/4

L 12872-63 EPR/EWP(j)/EPF(c)/EWT(m)/BDS Ps-4/Pc-4/Pr-4 RM/WW/JW  
ACCESSION NR: AP3002942 S/0076/63/037/006/1399/1401 7/  
AUTHOR: Fankratov, A. V.; Zercheninov, A. N.; Talakin, O. G.; Sokolov, O. M.;  
Knyazeva, N. A.  
TITLE: Standard enthalpy of formation of the active isomer of difluorodiazine  
SOURCE: Zhurnal fizicheskoy khimii, v. 37, no. 6, 1963, 1399-1401  
TOPIC TAGS: standard enthalpy, active isomer, difluorodiazine, IR measurement  
ABSTRACT: The standard enthalpy for the gaseous active isomer of difluorodiazine was calculated. It was  $25.3 \pm 2.0$  kcal/mol. It was  $20.5 \pm 2.0$  kcal/mol for the liquid at  $-105.7^\circ$ . Data was obtained by IR measurement of the heat of reaction of the active isomer with an acid solution of KI. Orig. art. has: 2 tables, 1 figure, and 3 equations.  
ASSOCIATION: none  
SUBMITTED: 22Aug62 DATE ACQ: 16Jul63 ENCL: 00  
SUB CODE: CH NO REF SOV: 002 OTHER: 005  
Card 1/1

ZERDIK, M.

Determining the smoothness of yarns and threads. p. 773.  
(GLASNIK, Vol. 6, No. 9, Sept. 1957

SO: Monthly List of East European Accessions (EEAL) LC Vol. 6, No. 12, Dec. 1957  
Uncl.

ZERDIK, M.

Textile-research institutions in Sweden and Denmark. p. 42.

Periodical: TEKSTIL

Vol. 8, no. 1, Jan. 1959.

TECHNOLOGY

SO: Monthly List of East European Accessions (EEAI) LC

Vol. 8, no. 4  
April 1959, Uncl.

ZERDIK, M.

Effect of atmospheric conditions on textile testing. p. 7

TEKSTIL, Zagreb, Vol 5, No 1, Jan, 1956

SO: EEAL, Vol 5, No. 7, July, 1956

ZERDIK, M.

The Chemical-Technological Institute of Zagreb is founded.  
Kemija u industriji 11 no.6:342 Je '62.

ZERDIK, Mladen, prof. dipl. inz.

Chemical damage and swelling of cotton fibers in strong alkalies. Pt.  
2. Tekstil Zagreb 13 no.10:843-852 0 '64.



ZERDIK, Mladen, dipl. inz., izv. prof.

Starch adhesives in the textile industry. Kem ind 12 no.5:  
325-331 My '64.

1. Faculty of Technology, University of Zagreb, Zagreb.

ZERDIK, M.

Scientific progress and modern chemical technology of textiles. p. 729

TEKSTIL. (Društvo inženjera i tehničara tekstilaca Hrvatske) Zagreb.

Vol. 5, no. 9, September 1956

SOURCE: East European List (EEAL) Library of  
Congress, Vol. 6, No. 1, January 1957

ZERDIK, M.

ZERDIK, M. Instrumental control and automation in the textile industry, especially in the process of textile finishing. p. 833.

Vol. 5, No. 10, Oct. 1956.

TEHNIKA

TECHNOLOGY

Beograd, Yugoslavia

So: East European Accession, Vol. 6, No. 2, February 1957

ZERDIK, M.

ZERDIK, M. KUSMEK, B.

Yugoslavia (430)

Technology-Periodicals

A rapid method for the determination of grease in wool. p. 293. TEHNICKI PREGLED. (Croatia. Uprava za unapredenje proizvodnje pri privrednom savjetu) Zagreb. (Bimonthly technical journal issued by the Production Improvement Administration of the Economic Council) No. 6, 1951.

East European Accessions List. Library of Congress Vol. 2, No. 6, June 1953. Unclassified.

ZERDIK, Mladen, prof., dipl. inz.; RAFFAELLI, Dubravka, dipl. inz.,  
asistent

Self-inflammability of oiled raw silk. Tekstil Zagreb 18  
no. 1: 14-20 Ja '64.

1. Predstojnik Zavoda za tekstilnu kemijsku tehnologiju Tehnoloskog fakulteta Sveucilista u Zagrebu (for Zerdik).
2. Zavod za tekstilnu kemijsku tehnologiju Tehnoloskog fakulteta Sveucilista u Zagrebu (for Raffaelli).

ZEREBECKI, J.

"Power apparatus for cutting and sawing wood" p. 20 (las polski, Vol. 26, No. 2,  
Feb. 1952, Warszawa)

SO: Monthly List of East European Vol. 3, No. 3  
Accessions / Library of Congress, March 1952<sup>4</sup>, Uncl.

ZEREBECKI, JAN.

"Mechanizacja pracy przy sciince i wyrobce drewna (1. wyd.) Warszawa,  
Panstwowe Wydawn., Rolnicze i Lesne, 1951. 59 p. (Biblioteczka lesna)  
(Mechanization of the cutting of timber and milling. 1st ed.)

DA

Not In DLC

SO: Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 4,  
April 1958

ZEREBECKI, J.

Mechanical apparatus for cutting and fabricating wood. (To be contd.) p. 29.  
(LAS POLSKI. Vol. 26, no. 3, Mar. 1952.

SO: Monthly List of East European Accessions, L. C., Vol. 3, No. 4, April, 1954



ZEREBTSOVA, K.I.

SUBJECT USSR / PHYSICS CARD 1 / 2 PA - 1406  
 AUTHOR NEMILOV, JU.A., ZEREBTSOVA, K.I., FUNSTEJN, B.L.  
 TITLE On the Relationship between the Processes of Stripping and the  
 Production of a Compound Nucleus on the Occasion of Reaction with  
 Deuterons.  
 PERIODICAL Zhurn.eksp.i teor.fis, 30, fasc.6, 1013-1016 (1956)  
 Issued: 8 / 1956 reviewed: 10 / 1956



The relationship of these reactions on the nucleus  $Mg^{26}(d,p)Mg^{27}$  is here estimated by comparison of the yields of those nuclei which are produced on the occasion of d,p-processes and d, $\alpha$ -processes on an  $Mg^{26}$  nucleus as well as on the occasion of n,p-processes and n, $\alpha$ -processes on an  $Al^{27}$  nucleus. For the purpose of a more accurate quantitative estimation of the relative probabilities of the two mechanisms mentioned in the title two reactions are selected (one of them with deuterons and the other with any other data as e.g. neutrons), in which one and the same compound nucleus is produced. The radioactive nuclei  $B_1$  and  $B_2$  created in connection with the reactions selected on this occasion had decay periods which, from the point of view of measuring technique, were favorable. The ratios of the quantities of radioactive nuclei  $B_1$  and  $B_2$  produced in the targets by irradiation with deuterons and neutrons were determined from the fading curves of radioactivity. It is true that:  
 $\sigma(d,p)/\sigma(d,\alpha) = (\sigma(d,p)_{c.n.} + \sigma(d,p)_{strip} \cdot F) / \sigma(d,\alpha) = N_1$  and  $\sigma(n,p)/\sigma(n,\alpha) = N_2$ . Here c.n. refers to a compound nucleus, strip. to a stripping process, and F denotes the term due to the interference between the two terms. As the decay of the compound

Žurn. eksp. i teor. fis, 30, fasc. 6, 1013-1016 (1956) CARD 2 / 2 PA - 1406

nucleus does not depend on the manner in which it was produced, it is true that  $\sigma(d,p)_{c.n.}/\sigma(d,\alpha) = \sigma(n,p)/\sigma(n,\alpha)$  and herefrom follows

$(\sigma(d,p)_{strip} + F)/\sigma(d,p)_{c.n.} = (N_1 - N_2)/N_2$ . This is correct only if the compound

nuclei produced by the capture of a deuteron and of a neutron have the same excitation energies. However, also if these conditions are satisfied with accuracy, it is possible that inaccuracies occur as a result of the influence exercised by broad overlapping levels. No resonance phenomena were, by the way, found. The following two reactions were selected in this case:



The ratios of radioactivities found are represented in diagrams as functions of the deuteron energy. In order to obtain neutrons with uniform energies the reaction  $\text{D}^2 + \text{D}^2$  was used. As a deuteron target a circonium layer irradiated for a long time with slow deuterons (0,8 MeV) was used.

On the occasion of reaction with deuterons and reaction with neutrons the proton yield increases as against the yield of  $\alpha$ -particles as a result of a decrease of deuteron energy. The ratio  $(\sigma_{strip} + F)/\sigma_{c.n.}$  has maximum deuteron energies of from 1 to 2 MeV and a value of 8 to 9.

INSTITUTION: Radium Institute of the Academy of Science

ZEREEEN O.; SUVE, A.

Poisoning cases among swine. p. 175.

SOTSIALISTLIK POOLUMAJANDUS. Tallinn, Hungary, Vol. 13, no. 4, Apr. 1958.

Monthly List of East European Accessions (FEAL); *Vol 8 "12 Dec"* 10, No. 4, July, 1959.  
Uncl.

ZEREK, B., KOKOSINSKI, J.

"Research Concerning Coal Dust as an Ingredient in Pitch Mixture for Road Surfacing."  
(To be contd.) (DROGOWNICTWO, Vol. 8, No. 5, May 1953) Warszawa

SO: Monthly List of East European Accessions, Library of Congress, Vol. 2, No. 10,  
October 1953. Unclassified.

ZEREKIDZE, I.I.

Study of factors affecting the quality of characteristics of electric locomotives with regulated parameters and methods for adjusting the electric network of the locomotive. Trudy GPI [Gruz.] no.3:3-16 '63.

Special features of the changeover from one combination of electric traction motor connection to another in locomotives with regulated characteristics. Ibid.:17-30

Calculation of start resistances for electric locomotives with regulated characteristics. Ibid.:31-42 (MIRA 17:6)

ZEREKIDZE, I.I., delegat XXII s"yezda Kommunisticheskoy partii  
Sovetskogo Soyuza

Electric locomotive with regulated characteristics of traction  
engines. Elek.i tepl. tiaga 5 no.12:6-8 D '61. (MIRA 15:1)

1. Direktor tbilisskogo elektrovozostroitel'nogo zavoda im.  
V.I. Lenina,

(Electric locomotives)

ident. as director. 64

SIDENKO, I., kand. biolog. nauk; ZERKIDZE, K., aspirant

Artificial infection by rust. Zashch. rast. ot vred. i bol. 10  
no. 8:42-43 '85. (MIRA 18:11)

1. Vsesoyuznyy institut kukuruzy, Dnepropetrovsk (for Sidenko).
2. Moskovskiy gosudarstvennyy universitet (for Zerkidze).

ZEREKIDZE, R.

Susceptibility of corn to rust. Zashch. rast. ot vred. i  
bol. 10 no.10:19 '65. (MIRA 18:12)

1. Zaveduyushchiy otdelom zashchity rasteniy Gruzinskoy  
selektsionno-opytной stantsii, pochtovoye otdeleniye  
Natakhtari, Mtskhetskiy rayon.



LADYZHENSKAYA, N.V.; GULIDOVA, L.A.; TIMOSHENKO, Z.F. (Dzerzhinsk, Gor'kovskoy obl.); ZEREKIDZE, R.I.

From the practices in the use of poisonous chemicals. Zashch.  
rast. ot vred. i bol. 9 no.3:24-25 '64. . (MIRA 17:24)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut khimicheskikh sredstv zashchity rasteniy (for Ladyzhenskaya, Gulidova).
2. Zavoduyushchiy otdelom zashchity rasteniy Gruzinskoy selektsionno-opytnoy stantsii Vsesoyuznogo instituta kukuruzy, Mtskhetskiy rayon (for Zerekidze).

ANBINDER, Ya.Ye. [Anbinder, I.A.IE.]; SHPAKOVSKIY, N.Ye. [Shpakovs'kyi, N.E.];  
DARBINYAN, S.A.; KOMARCV, V.V.; KOMAROVA, T.V.; KOZLOV, Yu.A.; KONOKOTIN,  
L.P.; ZEREKIDZE, V.M.; SHULYATITSKIY, S.M. [Shyliatyts'kyi, S.M.];  
KHODURSKIY, Ye.A. [Khodurs'kyi, IE.A.]; OBUSHINSKIY, Ye.I. [Obushyns'kyi,  
IE.I.]; GVOZDIK, A.A. [Hvozdyk, A.A.]; NIKITINA, M.A.; LUPASHKO, N.F.;  
BESKROVNIY, M.N.; TSIMBLER, M.Ye. [TSymbler, M.IE.]; ILYN, A.N.; TOTADZE,  
P.M.; ZHIGURS, Kh.Yu.; ZAKREVSKIY, Ye.S. [Zakrevs'kyi, IE.S.];  
FEDOROVICH, A.G. [Fedorovych, A.H.]; CHALENKO, D.K.; KHOMUTOV, D.A.;  
SKURIKHIN, I.M.; NILOV, V.I.; YEFIMOV, B.N. [IEfimov, B.N.]; KAZANOVSKIY,  
V.S. [Kazanovs'kyi, V.S.]; ZOTIKOV, L.S.; KOCHURENKO, M.A.

Soviet certificates of invention. Khar. prom. no.2:57-59 Ap-Je '65.  
(MIRA 18:5)

CASLER, Gh., prof.; BELOUS, V., lector; RENER, A., lector; CONDREA, I.,  
asist.; ILIE, I., ing.; ZERELLES, W., ing., SCHMIDT, H., ing.

Influence of the geometry of the cutting part of helicoidal  
drills on the drilling dynamics of some Rumanian steels.  
Constr mas 15 no.8:562-569 Ag'63.

1. Institutul politehnic, Iasi (for Casler, Rener, Condrea).
2. Fabrica de scule, Risnov ( for Ilie, Zerelles, Schmidt).

ZEREMSKI, D.

"Some Experiences in Feeding Milch Cows", P. 34, (POLJOPRIVREDA, Vol. 2, No. 4, April 1954, Belgrade, Yugoslavia)

SO: Monthly List of East European Accessions (EEAL), LC, Vol. 4, No. 1, March 1955, Uncl.

HERGESIC, B.; FERBER, E.; MAVER, H.; PANTAZIJEVIC, D.; DIVANOVIC, B.; TODOROVIC, P.; VRACARIC, B.; SIMIC, B.; BOGOJEVSKI, D.; KLINC, L.; RAMZIN, S.; PETROVIC, D.; DAJA, A.; MILIC-KRIVODOLJANIN, B.; PRIBICEVIC, S. (Beograd); ZEREMSKI, D. (Beograd); VAJIC, V.

Review of periodicals; nutrition. Bul sc Youg 9 no.4/5:147-148  
Ag-O '64.

ZEREMSKI, M.

Holocene and epeirogenic movements in the southeastern section of the Srem loess plateau. p. 67.

Periodical: ZBORNIK ZA PRIRODNE NAUKE. Matica srpska. Novi Sad.

SCIENCE

No. 9, 1955.

SO: Monthly List of East European Accessions (EEAI) LC

Vol. 8, No. 4  
April 1959, Uncl.

ZEREMSKI, M.

SCIENCE

ZEREMSKI, M. Matica srpska. Novi Sad.

No. 9, 1955. Holocene and epeirogenic movements in the southeastern section of the Srem loess plateau. p. 67.

Monthly Index of East European Accessions (EEAI) LC Vol. 8, No. 4, April, 1959

ZEREMSKI, M.

"The Kremna Sinkhole; A Contribution to the Morphology of Western Serbia."  
p. 3. (ENREGISTRATION SEISMOGRAPHIQUES, Vol. 34, no. 1, 1954. Beograd,  
Yugoslavia.)

SO: Monthly List of East European Accessions, (EEAL), LC,  
Vol. 4, No. 5, May 1955, Uncl.



ZEREMSKI, Milos

A combination of piracy, pseudopiracy, and the marginal and  
point epigenes at the source of the Uvac River. Geogr pregl  
6:25-37 '62

ZEREMSKI, Milos

A new contribution to the Holocene epirogenic movements  
of the eastern part of the loess talus of Srem. Zbor prir  
Mat srp no.20:127-144 '61.

ZEREMSKI, Milos

Relations between the Mackat Plain and the Neogen basins south of  
it. Geogr pregl no.5:123-126 '62.

ZEREMSKI, Milos, dr

~~Some morphologic characteristics of the system of Budovar Plain,~~  
Eastern Srem. Zbor prir Mat srp no.22:5-21. '62.

ZEREMSKI, Milos

The genesis and evolution of karstic pseudovalleys.  
Glas Srp geogr dr 42 no.1:9-23 '62.

ZEREN, Z.

Supplementary fibrotendinous channels in human muscles. Izv Inst  
morf BAN 4:63-68 '61.

(MUSCLES)

ZERNETSKIY, B.F. [Zernets'kiy, B.F.]

First All-Union Conference of Experts on Nummulites. Geol. zhur. 20  
no. 1:104-105 '60. (MIRA 14:5)

(Nummulites)

ZERNETSKIY, B.F. [Zernets'kiy, B.F.]

Second All-Union Conference of the Stratigraphic Commission on the  
Paleogene System. Geol. zhur. 20 no. 1:105-106 '60.

(Geology, Stratigraphic)

(MIRA 14:5)



ZERENIN, A.G.

Exercise therapy for patients with mitral stenosis in surgical treatment of this failure. Med. sestra 22, no. 1: 34-43 Ja '63.

(MIRA 16:7)

1. Iz kafedry lechebnoy fizicheskoy kul'tury I Moskovskogo ordena Lenina meditsinskogo instituta imeni Sechenova, Moskva.

(MITRAL VALVE—SURGERY) (EXERCISE THERAPY)

ZERENIN, A.G. (Moskva, ul. B. Pirogovskaya, d.2/6)

Exercise therapy in mitral stenosis patients before and following commissurotomy. Grud. khir. 6 no.2:55-58 Mr-Apr '64. (MIRA 18:4)

1. Kafedra gosptal'noy khirurgii lechebnogo fakul'teta (zav. - deystvitel'nyy chlen AMN SSSR prof. B.V. Petrovskiy) kafedra lechebnoy fizicheskoy kul'tury (zav. - dotsent L.I. Levandovskiy) I Moskovskogo ordena Lenina meditsinskogo instituta imeni Sechenova.

38342 ZERENIN, G. A.

Soust'ie na zheludochno-kishechnom trakto. Sov. meditsina, 1949, No 12, s.  
27-28

ENTIN, Ya.S.; BORDYUG, I.I.; ZERNIN, V.P.

Modernized disinfection and disinsection unit of the "SKRNA-3"  
type. Med. paraz i paraz. bol. 32 no.3:356-358 My-Je'63  
(MIRA 17:3)

LEVIN, B.I., kandidat tekhnicheskikh nauk, redaktor; ZERENINOV, A.M., redaktor;  
PUZYR', I.Ye., inzhener, redaktor; RUDOG, M.L., inzhener, redaktor.

[Handbook of the basic materials and spare parts required by the railroad  
transportation. Vol.2] Spravochnik po osnovnym materialam i zapasnym  
chastiam, potrebliaemym zheleznodorozhnym transportom. Pod red. B.I.  
Levina [i dr.] Moskva, Gos. transp. zhel-dor. izd-vo, 1946- (MIRA 7:6)  
(Railroads--Equipment and supplies)

*B.C.*

*B.III-9*

Influence of high-frequency electric fields on keeping qualities of fruits and vegetables. H. F. Kuznetsov and L. V. Martynov (Ussr). Acad. Sci. U.S.S.R., 1950, 2, 688-693. The keeping properties of cucumbers, apples, and pears and the rate of ripening of green tomatoes are enhanced by exposure to fields of high frequency ( $5 \times 10^8$  Hertz) for 1 sec. and 1 min., respectively.  
F. O. H.

ASAC-SLA METALLURGICAL LITERATURE CLASSIFICATION  
EAST-WEST SERVICE

AM

ZERELLER, M. J. J. *Parasitic fungi on the vine in the province of Imeretia (Georgia, Transcaucasia) and brief notes on which are given in this paper, the only two of economic importance are mildew (*Plasmopara viticola*) and *Oidium tuckeri* [*Uncinula necator*], both of which recur from year to year, sometimes reducing the crop by 50 per cent. The other parasitic fungi listed include *Gaiquardia* [*Physalospora*] *baccae* [R.A.M., vi, pp. 76, 81, 207], *Mycosphaerella* *vitae*, *Phyllosticta* *viticola* in association with *P. vitis*, *P. ampelina*, *Coniothyrium* *diplodiella* [ibid., vii, p. 358], *Ascochyta* *ampelina*, *Hendersonia* *vitae*, *Septoria* *viticola*, *Alternaria* *vitae*, and *Epicoccum* *neglectum*.*

ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION

1930-1939 1940-1949 1950-1959 1960-1969 1970-1979 1980-1989 1990-1999 2000-2009 2010-2019 2020-2029 2030-2039 2040-2049 2050-2059 2060-2069 2070-2079 2080-2089 2090-2099 2100-2109 2110-2119 2120-2129 2130-2139 2140-2149 2150-2159 2160-2169 2170-2179 2180-2189 2190-2199 2200-2209 2210-2219 2220-2229 2230-2239 2240-2249 2250-2259 2260-2269 2270-2279 2280-2289 2290-2299 2300-2309 2310-2319 2320-2329 2330-2339 2340-2349 2350-2359 2360-2369 2370-2379 2380-2389 2390-2399 2400-2409 2410-2419 2420-2429 2430-2439 2440-2449 2450-2459 2460-2469 2470-2479 2480-2489 2490-2499 2500-2509 2510-2519 2520-2529 2530-2539 2540-2549 2550-2559 2560-2569 2570-2579 2580-2589 2590-2599 2600-2609 2610-2619 2620-2629 2630-2639 2640-2649 2650-2659 2660-2669 2670-2679 2680-2689 2690-2699 2700-2709 2710-2719 2720-2729 2730-2739 2740-2749 2750-2759 2760-2769 2770-2779 2780-2789 2790-2799 2800-2809 2810-2819 2820-2829 2830-2839 2840-2849 2850-2859 2860-2869 2870-2879 2880-2889 2890-2899 2900-2909 2910-2919 2920-2929 2930-2939 2940-2949 2950-2959 2960-2969 2970-2979 2980-2989 2990-2999 3000-3009 3010-3019 3020-3029 3030-3039 3040-3049 3050-3059 3060-3069 3070-3079 3080-3089 3090-3099 3100-3109 3110-3119 3120-3129 3130-3139 3140-3149 3150-3159 3160-3169 3170-3179 3180-3189 3190-3199 3200-3209 3210-3219 3220-3229 3230-3239 3240-3249 3250-3259 3260-3269 3270-3279 3280-3289 3290-3299 3300-3309 3310-3319 3320-3329 3330-3339 3340-3349 3350-3359 3360-3369 3370-3379 3380-3389 3390-3399 3400-3409 3410-3419 3420-3429 3430-3439 3440-3449 3450-3459 3460-3469 3470-3479 3480-3489 3490-3499 3500-3509 3510-3519 3520-3529 3530-3539 3540-3549 3550-3559 3560-3569 3570-3579 3580-3589 3590-3599 3600-3609 3610-3619 3620-3629 3630-3639 3640-3649 3650-3659 3660-3669 3670-3679 3680-3689 3690-3699 3700-3709 3710-3719 3720-3729 3730-3739 3740-3749 3750-3759 3760-3769 3770-3779 3780-3789 3790-3799 3800-3809 3810-3819 3820-3829 3830-3839 3840-3849 3850-3859 3860-3869 3870-3879 3880-3889 3890-3899 3900-3909 3910-3919 3920-3929 3930-3939 3940-3949 3950-3959 3960-3969 3970-3979 3980-3989 3990-3999 4000-4009 4010-4019 4020-4029 4030-4039 4040-4049 4050-4059 4060-4069 4070-4079 4080-4089 4090-4099 4100-4109 4110-4119 4120-4129 4130-4139 4140-4149 4150-4159 4160-4169 4170-4179 4180-4189 4190-4199 4200-4209 4210-4219 4220-4229 4230-4239 4240-4249 4250-4259 4260-4269 4270-4279 4280-4289 4290-4299 4300-4309 4310-4319 4320-4329 4330-4339 4340-4349 4350-4359 4360-4369 4370-4379 4380-4389 4390-4399 4400-4409 4410-4419 4420-4429 4430-4439 4440-4449 4450-4459 4460-4469 4470-4479 4480-4489 4490-4499 4500-4509 4510-4519 4520-4529 4530-4539 4540-4549 4550-4559 4560-4569 4570-4579 4580-4589 4590-4599 4600-4609 4610-4619 4620-4629 4630-4639 4640-4649 4650-4659 4660-4669 4670-4679 4680-4689 4690-4699 4700-4709 4710-4719 4720-4729 4730-4739 4740-4749 4750-4759 4760-4769 4770-4779 4780-4789 4790-4799 4800-4809 4810-4819 4820-4829 4830-4839 4840-4849 4850-4859 4860-4869 4870-4879 4880-4889 4890-4899 4900-4909 4910-4919 4920-4929 4930-4939 4940-4949 4950-4959 4960-4969 4970-4979 4980-4989 4990-4999 5000-5009 5010-5019 5020-5029 5030-5039 5040-5049 5050-5059 5060-5069 5070-5079 5080-5089 5090-5099 5100-5109 5110-5119 5120-5129 5130-5139 5140-5149 5150-5159 5160-5169 5170-5179 5180-5189 5190-5199 5200-5209 5210-5219 5220-5229 5230-5239 5240-5249 5250-5259 5260-5269 5270-5279 5280-5289 5290-5299 5300-5309 5310-5319 5320-5329 5330-5339 5340-5349 5350-5359 5360-5369 5370-5379 5380-5389 5390-5399 5400-5409 5410-5419 5420-5429 5430-5439 5440-5449 5450-5459 5460-5469 5470-5479 5480-5489 5490-5499 5500-5509 5510-5519 5520-5529 5530-5539 5540-5549 5550-5559 5560-5569 5570-5579 5580-5589 5590-5599 5600-5609 5610-5619 5620-5629 5630-5639 5640-5649 5650-5659 5660-5669 5670-5679 5680-5689 5690-5699 5700-5709 5710-5719 5720-5729 5730-5739 5740-5749 5750-5759 5760-5769 5770-5779 5780-5789 5790-5799 5800-5809 5810-5819 5820-5829 5830-5839 5840-5849 5850-5859 5860-5869 5870-5879 5880-5889 5890-5899 5900-5909 5910-5919 5920-5929 5930-5939 5940-5949 5950-5959 5960-5969 5970-5979 5980-5989 5990-5999 6000-6009 6010-6019 6020-6029 6030-6039 6040-6049 6050-6059 6060-6069 6070-6079 6080-6089 6090-6099 6100-6109 6110-6119 6120-6129 6130-6139 6140-6149 6150-6159 6160-6169 6170-6179 6180-6189 6190-6199 6200-6209 6210-6219 6220-6229 6230-6239 6240-6249 6250-6259 6260-6269 6270-6279 6280-6289 6290-6299 6300-6309 6310-6319 6320-6329 6330-6339 6340-6349 6350-6359 6360-6369 6370-6379 6380-6389 6390-6399 6400-6409 6410-6419 6420-6429 6430-6439 6440-6449 6450-6459 6460-6469 6470-6479 6480-6489 6490-6499 6500-6509 6510-6519 6520-6529 6530-6539 6540-6549 6550-6559 6560-6569 6570-6579 6580-6589 6590-6599 6600-6609 6610-6619 6620-6629 6630-6639 6640-6649 6650-6659 6660-6669 6670-6679 6680-6689 6690-6699 6700-6709 6710-6719 6720-6729 6730-6739 6740-6749 6750-6759 6760-6769 6770-6779 6780-6789 6790-6799 6800-6809 6810-6819 6820-6829 6830-6839 6840-6849 6850-6859 6860-6869 6870-6879 6880-6889 6890-6899 6900-6909 6910-6919 6920-6929 6930-6939 6940-6949 6950-6959 6960-6969 6970-6979 6980-6989 6990-6999 7000-7009 7010-7019 7020-7029 7030-7039 7040-7049 7050-7059 7060-7069 7070-7079 7080-7089 7090-7099 7100-7109 7110-7119 7120-7129 7130-7139 7140-7149 7150-7159 7160-7169 7170-7179 7180-7189 7190-7199 7200-7209 7210-7219 7220-7229 7230-7239 7240-7249 7250-7259 7260-7269 7270-7279 7280-7289 7290-7299 7300-7309 7310-7319 7320-7329 7330-7339 7340-7349 7350-7359 7360-7369 7370-7379 7380-7389 7390-7399 7400-7409 7410-7419 7420-7429 7430-7439 7440-7449 7450-7459 7460-7469 7470-7479 7480-7489 7490-7499 7500-7509 7510-7519 7520-7529 7530-7539 7540-7549 7550-7559 7560-7569 7570-7579 7580-7589 7590-7599 7600-7609 7610-7619 7620-7629 7630-7639 7640-7649 7650-7659 7660-7669 7670-7679 7680-7689 7690-7699 7700-7709 7710-7719 7720-7729 7730-7739 7740-7749 7750-7759 7760-7769 7770-7779 7780-7789 7790-7799 7800-7809 7810-7819 7820-7829 7830-7839 7840-7849 7850-7859 7860-7869 7870-7879 7880-7889 7890-7899 7900-7909 7910-7919 7920-7929 7930-7939 7940-7949 7950-7959 7960-7969 7970-7979 7980-7989 7990-7999 8000-8009 8010-8019 8020-8029 8030-8039 8040-8049 8050-8059 8060-8069 8070-8079 8080-8089 8090-8099 8100-8109 8110-8119 8120-8129 8130-8139 8140-8149 8150-8159 8160-8169 8170-8179 8180-8189 8190-8199 8200-8209 8210-8219 8220-8229 8230-8239 8240-8249 8250-8259 8260-8269 8270-8279 8280-8289 8290-8299 8300-8309 8310-8319 8320-8329 8330-8339 8340-8349 8350-8359 8360-8369 8370-8379 8380-8389 8390-8399 8400-8409 8410-8419 8420-8429 8430-8439 8440-8449 8450-8459 8460-8469 8470-8479 8480-8489 8490-8499 8500-8509 8510-8519 8520-8529 8530-8539 8540-8549 8550-8559 8560-8569 8570-8579 8580-8589 8590-8599 8600-8609 8610-8619 8620-8629 8630-8639 8640-8649 8650-8659 8660-8669 8670-8679 8680-8689 8690-8699 8700-8709 8710-8719 8720-8729 8730-8739 8740-8749 8750-8759 8760-8769 8770-8779 8780-8789 8790-8799 8800-8809 8810-8819 8820-8829 8830-8839 8840-8849 8850-8859 8860-8869 8870-8879 8880-8889 8890-8899 8900-8909 8910-8919 8920-8929 8930-8939 8940-8949 8950-8959 8960-8969 8970-8979 8980-8989 8990-8999 9000-9009 9010-9019 9020-9029 9030-9039 9040-9049 9050-9059 9060-9069 9070-9079 9080-9089 9090-9099 9100-9109 9110-9119 9120-9129 9130-9139 9140-9149 9150-9159 9160-9169 9170-9179 9180-9189 9190-9199 9200-9209 9210-9219 9220-9229 9230-9239 9240-9249 9250-9259 9260-9269 9270-9279 9280-9289 9290-9299 9300-9309 9310-9319 9320-9329 9330-9339 9340-9349 9350-9359 9360-9369 9370-9379 9380-9389 9390-9399 9400-9409 9410-9419 9420-9429 9430-9439 9440-9449 9450-9459 9460-9469 9470-9479 9480-9489 9490-9499 9500-9509 9510-9519 9520-9529 9530-9539 9540-9549 9550-9559 9560-9569 9570-9579 9580-9589 9590-9599 9600-9609 9610-9619 9620-9629 9630-9639 9640-9649 9650-9659 9660-9669 9670-9679 9680-9689 9690-9699 9700-9709 9710-9719 9720-9729 9730-9739 9740-9749 9750-9759 9760-9769 9770-9779 9780-9789 9790-9799 9800-9809 9810-9819 9820-9829 9830-9839 9840-9849 9850-9859 9860-9869 9870-9879 9880-9889 9890-9899 9900-9909 9910-9919 9920-9929 9930-9939 9940-9949 9950-9959 9960-9969 9970-9979 9980-9989 9990-9999

ZERENINOV, A.M., inzh.

Substitutes for asbestos cement pipes. Transp. stroi. 9 no.11:  
37-39 N '59 (MIRA 13:3)  
(Pipe, Concrete)



ZERENINOV, A.M., inzh.

The 30XG2S low-alloy steel. Transp.stroi. 9 no.6:57

Ja '59.

(Steel alloys)

(MIRA 12:11)

ZERENINOV, A. M.

Metallurgical plants in the USSR, January 1, 1936. 2. ispr. 1 dop.  
izd. Moskva, Gipromet, 1936. 31 p. (50-42375)

TN704.R9Z4 1936

ZERENINOV, A. M.

Wrote on Metallurgicheskiye Agregaty. SSSR (Metallurgical Equipment of the USSR) 1 January 1936 Moskva-Leningrad

9a Soviet Source:

Abstracted in USAF "Treasure Island", on file in Library of Congress, Air Information Division, Report No. 106522 Unclassified.

LEVIN, B.I.; ANPILGOV, R.G.; BOGATYREV, A.F.; BRYKIN, S.V.; GOL'DMAN,  
M.S.; DAVYDOV, G.V.; ZADORIN, B.M.; ZERENINOV, A.M.; LAPUSHKIN,  
A.D.; LEDNEV, V.I.; MURAV'YEV, V.I.; OGANESOV, I.S.; PETROV,  
N.I.; SIDORIN, V.K.; SOLDATOV, Ye.G., obshchiy red.; KARAMYSHEV,  
I.A., red.; PESKOVA, L.N., red.; KHITROV, P.A., tekhn.red.

[Manual for studying the economics of construction in the  
transportation industry] V pomoshch' izuchaiushchim ekonomiku  
transportnogo stroitel'stva. Moskva, Gos.transp.zhal-dor.  
izd-vo, 1959. 271 p. (MIRA 12:7)

(Construction industry)

(Transportation)

ZERENINOV, A. M.

M: Metallurgicheskiye Aggregaty SSSR (Metallurgical Equipment of the USSR);  
Moskva-Leningrad; 1936

Abstracted in USAF "Treasure Island"; on file in Library of Congress, Air Information  
Division, Report No. 106908, 106924, 106925. Unclassified.

DESYATNIK, E.M., inzh., red.; YELISEYEVA, Ye.Ye., inzh., red.;  
 MURASHOV, A.G., inzh., red.; GUSEV, V.I., inzh., red.;  
 MALAKHOV, A.Ye., inzh., red.; PETROV, G.P., inzh., red.;  
 FILIMONOV, S.Ye., inzh., red.; ROKKO, M.A., inzh., red.;  
 ANDREYEV, L.N., inzh., red.; TURIANSKIY, M.A., inzh., red.;  
 ZERENKOV, A.D., inzh., red.

[Collections Nos. 10, 20, 31, and 42 of standard district  
 uniform estimates for construction work] Sborniki No.10,  
 20, 31 i 42 edinykh raionnykh edinichnykh rastsenok na  
 stroitel'nye raboty. Moskva, Stroiizdat, 1965.

(MIRA 18:10)

1. Russia (1923- U.S.S.R.) Gosudarstvennyy komitet po de-  
 lam stroitel'stva. 2. Gosstroy SSSR (for Desyatnik, Gusev,  
 Filimonov). 3. Nauchno-issledovatel'skiy institut ekonomiki  
 stroitel'stva Gosstroya SSSR (for Yeliseyeva, Murashov,  
 Rokko, Andreyev, Malakhov, Turianskiy). 4. Gosudarstvennyy soyuz-  
 nyy institut po proyektirovaniyu spetsial'nykh sooruzheniy, zdaniy,  
 sanitarno-tekhnicheskikh i energeticheskikh ustroystv dlya predpri-  
 yatiy khimicheskoy promyshlennosti (for Petrov). 5. ~~Sentral'nyy~~ <sup>Sentral'nyy</sup>  
 nauchno-issledovatel'skiy i proyektno-eksperimental'nyy institut  
 promyshlennykh zdaniy i sooruzheniy (for Zerenkov).

DZHAVROVA, I.K.; ANTONKIN, E.; BRYNZOVA, Z.; DEMICHEVA, N.; ZERENKOVA, L.;  
TARASOVA, V.; YANKEVICH, G.

Comparative evaluation of various media for determining the toxigenic  
properties of diphtheria bacilli in vitro. Lab. delo 6 no.4:48 J1-  
Ag '60. (MIRA 13:12)

1. Kafedra mikrobiologii Smolenskogo meditsinskogo instituta.  
(BACTERIOLOGY—CULTURES AND CULTURE MEDIA) (DIPHTHERIA)

ZERGOLLERN, Vesna, mr.ph.; DURRIGL, Teodor, dr.

On some factors influencing hemagglutination test results. Reumatizam (Zagreb) 11 no.6:231-235 '64

1. Zavod za reumatske bolesti "Dr. Dora Filipovic", Zagreb.



KARASIK, Mikhail Abramovich; YURK, Yu.Yu., doktor geol.-miner. nauk,  
otv. red.; ZERNETSKAYA, N.V., red.; MATVEYCHUK, A.A., tekhn.  
red.

[Postmagmatic ore zones and their classification] Poslemag-  
niticheskie rudnye polia i ikh klassifikatsiia. Kiev, Izd-  
vo AN Ukr.SSR, 1963. 265 p. (MIRA 16:8)  
(Ore deposits--Classification)

KAPTARENKO-CHERNOUSOVA, Ol'ga Konstantinovna, doktor geol.-miner.  
nauk, prof.; GOLYAK, Lyudmila Markovna, inzh.;  
ZERNETSKIY, Boris Fedorovich, kand. geol.-miner. nauk;  
KRAYEVA, Yelizaveta Yakovlevna, kand. geol.-miner. nauk;  
LIPNIK, Yelena Semenovna, mlad. nauchn. sotr.; DIDKOVSKIY,  
V.Ya., st. nauchn. sotr., otv. red.; MEL'NIK, A.F., red.;  
MATVEYCHUK, A.A., tekhn. red.

[Atlas of typical Jurassic, Cretaceous, and Paleogene  
foraminifers in the platform part of the Ukraine] Atlas  
kharakternykh foraminifer iury, mela i paleogena platfor-  
mennoi chasti Ukrainy. Kiev, Izd-vo AN USSR, 1963. 200 p.  
(Serii stratigrafii i paleontologii, no.45)

(MIRA 16:8)

(Ukraine--Foraminifera, Fossil)

ZERETSKIY, L.M., gornyy inzhener.

Closed conveyer belt without rollers in an asbestos processing plant.  
Gor.zhur.no.6:61-62 Js '56. (MLRA 9:8)  
(Conveying machinery)

MILANOV, St.; ZEREV, St.; MARINOV, Hr.

Dynamics of some indices in the treatment of experimental myocarditis, produced by three different methods. Nauch. tr. vissh. med. inst. Sofia 43 no.5:41-47 '64

1. Chair of Pathophysiology of VMI, Sofia (Chief: Prof. St. Pisarev).

ZERGENYI, E

3

Rényi, A.; and Zergényi, E. An inequality for uncorrelated random variables. Czechoslovak Math. J. 6(81) (1956), 415-419. (Russian summary)

Let  $\xi_1, \xi_2, \dots, \xi_k, \dots$  be a sequence of uncorrelated random variables with mean values 0 and variances  $D_k^2$ . Let  $c_k$  denote a non-increasing sequence of positive numbers, satisfying the inequality  $1 < c \leq c_k/c_{2k} \leq C$  ( $k=1, 2, \dots$ ). The authors prove that

$$E \left( \sup_{n \leq k} c_k^2 \left| \sum_{j=1}^k \xi_j \right|^2 \right) \leq K \left( c_n^2 \sum_{j=1}^n D_j^2 + \sum_{j=n+1}^{\infty} D_j^2 c_j^2 \log^2 j \right)$$

for  $n=1, 2, \dots$ , where the constant  $K$  depends only on the constants  $c$  and  $C$ . This inequality simplifies the proof of the strong law of large numbers for uncorrelated random variables. J. Wolfowitz (Ithaca, N.Y.).

ZERGENYI, MARGIT

HUNGARY/Analytic Chemistry. Analysis of Organic Substances. E

Abs Jour: Ref Zhur-Khim., No 23, 1958, 77368.

Author : Szekeres, Laszlo; Dalazsfalvnyé, Zergenyi Margit;  
Molnar, Idszio G.

Inst :

Title : Arsenometric Determination of Oxalate Ions.

Orig Pub: Magyar kem. folyoirat, 1958, 64, No 3, 96-97.

Abstract: An arsenometric method of oxalate ion determination based on the oxidation of oxalate ions with bromine and the titration of the excessive bromine with arsenite solution was developed. 10 ml of 2 n. HCl is added to 10 to 20 ml of 0.1 n. bromidebromate solution containing 15 to 20 g of KBr per liter, after which 7.5 ml of 5 n. NaOH solution, the oxalate solution under study (about 5 to 10 ml of 0.1 n

Card : 1/2

ZERGENYI-BALASZALVY M

27  
Arsenometric determination of hexacyanoferrate(II) ion.  
L. Szekeres and M. Zergenyi-Balaszalvy (Landwirtschaft-  
liche Univ., Budapest, Hung.). 2. Anal. Chem. 163,  
359-61 (1958); cf. following abstr. — To det.  $\text{Fe}(\text{CN})_6^{4-}$  in  
soln., add excess 0.1N  $\text{KBrO}_3$ - $\text{KBr}$  soln. and  $\text{HCl}$ , wait a  
few min., add 1-2 drops 0.1N alk. I soln. and starch in-  
dicator, and titrate with 0.1N  $\text{As}_2\text{O}_3$  soln. to the appear-  
ance of a blue color. Results compare well with I and  $\text{KMnO}_4$ .  
O<sub>2</sub> oxidation. K. O. Stone

4

g57

ZERGENYI-BALASFALVY, M.

27  
 Arsenomolybdate determination of hexacyanoferrate(II) ion.  
 L. Szekeres and M. Zergenyi-Balásfalvy (Lángoltársasági  
 Egyetem, Budapest, Hung.). *Z. Anal. Chem.* 163,  
 359-61 (1958); cf. following abstr. To det.  $\text{Fe}(\text{CN})_6^{4-}$  in  
 soln., add excess 0.1N  $\text{KBrO}_3$ -KBr soln. and HCl, wait a  
 few min., add 1-2 drops 0.1N alk. I soln. and starch in-  
 dicator, and titrate with 0.1N  $\text{As}_2\text{O}_3$  soln. to the appear-  
 ance of a blue color. Results compare well with I and  $\text{KMnO}_4$   
 oxidation.  
 K. O. Stone



YUGOSLAVIA

ZERGOLLERII, Josip; and ZERGOLLERII, Sergije; Department of Orthopedics and  
Institute of Radiology (Ortopedski odjel i Zavod za radiologiju bolnice)  
"Dr. Josip Kajfes", Zagreb

"Diagnosis and Treatment of Some Bone Tumors"

Zagreb, Lijecnicki Vjesnik, Vol 88, No 8, August 1966; pp 957-962

Abstract [English summary modified]: Case reports of bone cyst, osteoclastoma,  
Ewing's sarcoma of the bone in the corresponding 3 patients with surgical  
treatment and good response to it. Twelve roentgenograms; 7 Yugoslav, 19  
Western references. Manuscript received 10 Dec 65.

MARDESIC, Dusko, dr.; ZERGOLLERN, Josip, dr.

Lumbalgias in industry. Liječn. vjesn. 83 no.10:1019-1033 '61.

1. Iz Zdravstvene stanice Željezare Sisak, Medicinskog centra u Sisku.

(BACKACHE) (OCCUPATIONAL DISEASES)

GENETICS

YUGOSLAVIA

ZERGOLLERN, Dr. Ljiljana, Clinic for Pediatric Diseases of the Medical Faculty (Klinika za dječje bolesti Medicinskog fakulteta) Zagreb-Rebro; Head (Predstojnik): Prof. Dr. P. Erak

"Cytogenetics and its Application in Clinical Medicine"

Belgrade, Medicinski Glasnik, Vol 20, No 5-6, May-June 1966, p. 175-177

Abstract: Historical outline: Garrod (alcaptonuria work), Von Winiwarterow (48 chromosomes in man) to Levan (46 found to be true in 1956); Lejeune (mongoloids have 47); cytogenetic materials and methods of work are described.

ZERGOLLERN, Vesna, Mr.Ph.; DURRIGL, Teodor, dr.; CREPINKO, Inge, dr.;  
HAUPTMANN, Erik, dr.

Cytological analysis of articular effusions in rheumatoid  
arthritis patients. Liječn. vjesn. 87 no.2:147-151 F '65.

1. Iz Zavoda za reumatske bolesti "Dr. Dora Filipovic" i  
Interne klinike Medicinskog fakulteta u Bolnici "Dr. Ozren  
Novosel" u Zagrebu.